

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	97	("6044439" "6154764" "6292830" "6389422" "5655152" "5896548" "5931947" "4942534" "5202999" "5228859" "5330085" "5446668" "5597182" "5694571" "5802301" "5890150" "5917746" "5963977" "6081854" "6223206" "6223206" "6477616" "6775774" "6968423" "6047356" "5497476" "5615353" "5627805" "5701283" "5875349" "5884093" "6029209" "6092154" "4972364" "5268884" "5381528" "5410653" "5446872" "5507005" "5559300" "5600817" "5664145" "5721865" "5778420" "5872802" "6150679" "6240095" "6286057" "6304531" "6324599").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 17:03
S1	12	US-6834289-\$.DID. OR US-6763442-\$. DID. or "20040193803".pn. or "20030177330".pn. or "20030120674".pn. or "20030084237".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 10:54
S2	22123	(control\$4 manag\$5) and (cach\$5) and (disk storage memory) and (computer client) and (predetermin\$3 predict\$3 prefetch\$3 lookahead look-ahead pre-read\$3 pre-load\$3 preload\$3 preread\$3) and ((command instruction) with (history location computer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 08:29
S3	5	JP-03102443-\$.did. or JP-10091497-\$. did. or JP-08087435-\$.did. or JP-64082239-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 11:02
S4	22157	(control\$4 manag\$5) and (cach\$5) and (disk storage memory) and (computer client) and (predetermin\$3 predict\$3 prefetch\$3 lookahead look-ahead pre-read\$3 pre-load\$3 preload\$3 preread\$3) and ((command instruction) with (history readout location computer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 11:28

S5	275	(control\$4 manag\$5) same (cach\$5) same (disk storage memory) same (computer client) same (predetermin\$3 predict\$3 prefetch\$3 lookahead look-ahead pre-read\$3 pre-load\$3 preload\$3 preread\$3) same ((command instruction) with (history readout location computer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 11:20
S7	12212	711/3-4,100-101,105,111-114,118,130,137,147,154,204,213.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 11:18
S8	88	S5 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 11:18
S9	59	((control\$4 manag\$5) same (cach\$5) same (disk storage memory) same (computer client) same (predetermin\$3 predict\$3 prefetch\$3 lookahead look-ahead pre-read\$3 pre-load\$3 preload\$3 preread\$3) same ((command instruction) with (history readout location computer))) and history	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 11:20
S10	25	S7 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 11:35
S11	5057	(control\$4 manag\$5) and (cach\$5) and (disk storage memory) and (computer client) and (predetermin\$3 predict\$3 prefetch\$3 lookahead look-ahead pre-read\$3 pre-load\$3 preload\$3 preread\$3) and ((command instruction) with (history readout location computer)) and history	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 11:55
S12	415	S7 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 11:29

S13	39429	(access\$3 with (pattern scheme))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 11:36
S14	11	S10 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 11:43
S15	245	oshima-stoshi.in. kimura-shinji.in. kobayashi-ikuko.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 11:44
S16	6	S15 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 11:44
S17	37	("4489378" "4533995" "4536836" "4882642").PN. OR ("5257370"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 11:52
S18	130	S12 and S13	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 11:53
S19	1123	((control\$4 manag\$5) same (cach\$5) same (disk storage memory) same (computer client)) and (predetermin\$3 predict\$3 prefetch\$3 lookahead look-ahead pre-read\$3 pre-load\$3 preload\$3 preread\$3) and ((command instruction) with (history readout location computer)) and history	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 13:18
S20	61	S7 and S13 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 13:08
S21	35744	time with (limit period) with (record log register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:41

S22	7	S20 and S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 13:10
S23	142	((control\$4 manag\$5) same (cach\$5) same (disk storage memory) same (computer client)) and (predetermin\$3 predict\$3 prefetch\$3 lookahead look-ahead pre-read\$3 pre-load\$3 preload\$3 preread\$3 readout) and ((command instruction) near\$3 (history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 13:26
S24	37	S23 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 13:20
S25	11	S23 and S7 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 13:20
S26	17	S23 and S7 and ((access\$3 usage us\$3) with (pattern scheme))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 13:22
S27	138	((control\$4 manag\$5) same (cach\$5) same (disk storage memory) same (computer client)) and (predetermin\$3 predict\$3 pre-read\$3 pre-load\$3 preload\$3 preread\$3 readout) and ((command instruction) near\$3 (history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 13:44
S28	34	S27 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 13:27
S29	16	S27 and S7 and ((access\$3 usage us\$3) with (pattern scheme))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 13:37

S30	40610	((access\$3 usage us\$3) with (pattern scheme)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 13:43
S31	41	S30 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 13:46
S32	2	S31 and ((predetermin\$3 predict\$3 pre-read\$3 pre-load\$3 preload\$3 preread\$3 readout) and ((command) near\$3 (history)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:36
S34	2	S7 and ((predetermin\$3 predict\$3 pre-read\$3 pre-load\$3 preload\$3 preread\$3 readout) same (data computer cache disk memory storage)) and ((command) with (history) with (location area computer storage)) and ((access us\$3) with (pattern scheme))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 14:37
S35	18	S7 and ((predetermin\$3 predict\$3 pre-read\$3 pre-load\$3 preload\$3 preread\$3 readout) same (data computer cache disk memory storage)) and ((command) with (history) with (location area computer storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:20
S36	1	US-20030018849-A1.did. and (command near\$3 history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:17
S37	28	S7 and ((command) with (history) with (location area computer storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:37
S38	6	S7 and ((command) with (history) with (location area computer storage)) and ((access us\$3) with (pattern scheme))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:22

S39	22	S37 not S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:30
S40	82	S7 and ((command) with (history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:10
S41	54	S40 not S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:48
S42	110	S7 and ((instruction order) near3 history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:49
S43	102	S42 not S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:49
S44	39	S42 not S40 and ((access us\$3) with (pattern scheme))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 14:52
S45	53	"707"/.cccls. and ((command) with (history)) and ((access us\$3) with (pattern scheme))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:15
S46	28	"707"/.cccls. and ((command) with (history)) and ((access us\$3) with (pattern scheme)) and (predetermin\$3 predict\$3 pre-read\$3 pre-load\$3 preload\$3 preread\$3 readout)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:16

S47	13	(US-20030149837-\$ or US-20030018849-\$).did. or (US-5257370-\$ or US-6910106-\$ or US-6000007-\$ or US-6311260-\$ or US-6971092-\$ or US-5490113-\$ or US-6052756-\$ or US-5377336-\$ or US-5848269-\$ or US-6877069-\$ or US-5642505-\$).did.	US-PGPUB; USPAT	OR	ON	2006/01/10 17:31
S48	0	S47 and (time with (limit period) with (record log register)) and ((command instruction) with (history)) and ((access us\$3) with (pattern scheme))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:34
S49	4	S21 and (predetermin\$3 predict\$3 pre-read\$3 pre-load\$3 preload\$3 preread\$3 readout) and ((access us\$3) with (pattern scheme)) and ((log table record) with history) and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:38
S50	67	(time same (record log register table) same (access us\$3) same history) and S7 and ((access us\$3) with (scheme pattern))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:45
S51	13	time and S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:59
S52	13	(time history command pattern access\$3 cache control\$4 manag\$5 redetermin\$3 predict\$3 prefetch\$3 lookahead look-ahead pre-read\$3 pre-load\$3 preload\$3 preread\$3) and S47	US-PGPUB; USPAT	OR	ON	2006/01/09 16:26
S53	2	(matsuchita adj electric).as.	US-PGPUB; USPAT	OR	ON	2006/01/09 16:29
S54	2	matsuchita.as.	US-PGPUB; USPAT	OR	ON	2006/01/09 16:29
S55	25	(preread\$3 pre-read\$3) same history	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 16:56

S56	6	S7 and S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 16:56
S57	6	((read near3 command) same history same (predetermin\$3 predict\$3 pre-read\$3 pre-load\$3 preload\$3 preread\$3 readout)) and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:10
S58	3	S57 not S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:16
S59	4	"5687347".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:19
S60	2	"5345560".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:19
S61	14	(US-20030018849-\$ or US-20030149837-\$).did. or (US-5257370-\$ or US-5377336-\$ or US-5490113-\$ or US-5642505-\$ or US-5848269-\$ or US-6000007-\$ or US-6052756-\$ or US-6301639-\$ or US-6311260-\$ or US-6877069-\$ or US-6910106-\$ or US-6971092-\$).did.	US-PGPUB; USPAT	OR	ON	2006/01/10 16:14
S62	11	S61 and (time with (cach\$3))	US-PGPUB; USPAT	OR	ON	2006/01/10 16:15
S64	4	S61 and (time with (cach\$3)) and (stop) and ("os" (operating near3 system))	US-PGPUB; USPAT	OR	ON	2006/01/10 16:26
S65	1	"20030018849".pn. and (stop)	US-PGPUB; USPAT	OR	ON	2006/01/10 16:30
S66	1	"20030018849".pn. and (history)	US-PGPUB; USPAT	OR	ON	2006/01/10 16:27
S67	1	"20030018849".pn. and (stop halt pause)	US-PGPUB; USPAT	OR	ON	2006/01/10 16:32
S68	1	("20030018849".pn. "5687347".pn.) and (rule with cach\$3)	US-PGPUB; USPAT	OR	ON	2006/01/10 17:12

S69	276	cach\$3 same (predetermin\$3 predict\$3 pre-read\$3 pre-load\$3 preload\$3 preread\$3 readout) same (time) same history	US-PGPUB; USPAT	OR	ON	2006/01/10 16:46
S70	90	S69 and "711"/.ccls.	US-PGPUB; USPAT	OR	ON	2006/01/10 16:41
S71	12234	711/3-4,100-101,105,111-114,118, 130,137,147,154,204,213.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 16:41
S72	66	S69 and S71	US-PGPUB; USPAT	OR	ON	2006/01/10 16:46
S73	14	(cach\$3 same (predetermin\$3 predict\$3 pre-read\$3 pre-load\$3 preload\$3 preread\$3 readout) same (time) same history).ab.	US-PGPUB; USPAT	OR	ON	2006/01/10 16:47
S74	7	S73 and S71	US-PGPUB; USPAT	OR	ON	2006/01/10 16:47
S75	2	("20030018849".pn. "5687347".pn.) and (program data code information)	US-PGPUB; USPAT	OR	ON	2006/01/10 17:12
S76	1	("20030018849".pn. "5687347".pn.) and (program)	US-PGPUB; USPAT	OR	ON	2006/01/10 17:13
S77	2	("20030018849".pn. "5687347".pn.) and (data)	US-PGPUB; USPAT	OR	ON	2006/01/10 17:16
S78	3	("20030018849".pn. "5687347".pn. "6092149".pn.) and (program os (operating near3 system))	US-PGPUB; USPAT	OR	ON	2006/01/10 17:18
S79	52969	("os" (operating near3 system)) with (remote network ((another other) near3 location))	US-PGPUB; USPAT	OR	ON	2006/01/10 17:20
S80	1281	S79 and S71	US-PGPUB; USPAT	OR	ON	2006/01/10 17:19
S81	26772	((operating near3 system)) with (remote network ((another other) near3 location))	US-PGPUB; USPAT	OR	ON	2006/01/10 17:20
S82	549	S81 and S71	US-PGPUB; USPAT	OR	ON	2006/01/10 17:20
S83	7008	((operating near3 system)) with (remote((another other) near3 location))	US-PGPUB; USPAT	OR	ON	2006/01/10 17:23
S84	118	S83 and S71	US-PGPUB; USPAT	OR	ON	2006/01/10 17:20

S85	5	((operating near3 system)) with (remote((another other) near3 location)) same cach\$3 same (predetermin\$3 predict\$3 pre-read\$3 pre-load\$3 preload\$3 preread\$3 readout)) and S71	US-PGPUB; USPAT	OR	ON	2006/01/10 17:28
S86	20	((operating near3 system)) with (remote((another other) near3 location)) same cach\$3) and S71	US-PGPUB; USPAT	OR	ON	2006/01/10 17:25
S87	3928132	S86 no S85	US-PGPUB; USPAT	OR	ON	2006/01/10 17:25
S88	15	S86 not S85	US-PGPUB; USPAT	OR	ON	2006/01/10 17:25
S89	10	((operating near3 system)) with (remote((another other) near3 location)) same (predetermin\$3 predict\$3 pre-read\$3 pre-load\$3 preload\$3 preread\$3 readout)) and S71	US-PGPUB; USPAT	OR	ON	2006/01/10 17:28
S90	16	(US-20030018849-\$ or US-20030149837-\$ or US-20030037202-\$).did. or (US-5257370-\$ or US-5377336-\$ or US-5490113-\$ or US-5642505-\$ or US-5848269-\$ or US-6000007-\$ or US-6052756-\$ or US-6301639-\$ or US-6311260-\$ or US-6877069-\$ or US-6910106-\$ or US-6971092-\$ or US-5577210-\$).did.	US-PGPUB; USPAT	OR	ON	2006/01/10 17:30
S91	3929269	S90 no S71	US-PGPUB; USPAT	OR	ON	2006/01/10 17:31
S92	13	(US-20030149837-\$ or US-20030018849-\$).did. or (US-5257370-\$ or US-6910106-\$ or US-6000007-\$ or US-6311260-\$ or US-6971092-\$ or US-5490113-\$ or US-6052756-\$ or US-5377336-\$ or US-5848269-\$ or US-6877069-\$ or US-5642505-\$).did.	US-PGPUB; USPAT	OR	ON	2006/01/10 17:31
S93	3	S90 not S92	US-PGPUB; USPAT	OR	ON	2006/01/11 10:01
S100	1	"6092149".pn. and (location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 08:57

S11 5	16	(US-20030018849-\$ or US-20030149837-\$ or US-20030037202-\$).did. or (US-5257370-\$ or US-5377336-\$ or US-5490113-\$ or US-5642505-\$ or US-5848269-\$ or US-6000007-\$ or US-6052756-\$ or US-6301639-\$ or US-6311260-\$ or US-6877069-\$ or US-6910106-\$ or US-6971092-\$ or US-5577210-\$).did.	US-PGPUB; USPAT	OR	ON	2006/01/11 10:02
S11 6	13	(US-20030149837-\$ or US-20030018849-\$).did. or (US-5257370-\$ or US-6910106-\$ or US-6000007-\$ or US-6311260-\$ or US-6971092-\$ or US-5490113-\$ or US-6052756-\$ or US-5377336-\$ or US-5848269-\$ or US-6877069-\$ or US-5642505-\$).did.	US-PGPUB; USPAT	OR	ON	2006/01/11 14:37
S11 7	3	S115 not S116	US-PGPUB; USPAT	OR	ON	2006/01/11 10:02
S13 1	12234	711/3-4,100-101,105,111-114,118, 130,137,147,154,204,213.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 10:12
S13 3	2515	(stop halt pause) with (command instruction) with (record\$3)	US-PGPUB; USPAT	OR	ON	2006/01/11 10:12
S13 4	57	S133 and S131	US-PGPUB; USPAT	OR	ON	2006/01/11 10:17
S13 5	6	(S133 and S131) and prefetch\$3	US-PGPUB; USPAT	OR	ON	2006/01/11 10:18
S13 6	13	(S133 and S131) and (prefetch\$3 preload\$3 preread\$3 lookahead predic\$3)	US-PGPUB; USPAT	OR	ON	2006/01/11 10:21
S13 7	7	S136 not S135	US-PGPUB; USPAT	OR	ON	2006/01/11 10:19
S13 8	34	(S133 and S131) and (cach\$3)	US-PGPUB; USPAT	OR	ON	2006/01/11 10:22
S13 9	17	(US-20030018849-\$ or US-20030037202-\$ or US-20030149837-\$).did. or (US-5257370-\$ or US-5377336-\$ or US-5490113-\$ or US-5577210-\$ or US-5642505-\$ or US-5848269-\$ or US-6000007-\$ or US-6052756-\$ or US-6301639-\$ or US-6311260-\$ or US-6877069-\$ or US-6910106-\$ or US-6971092-\$ or US-6484233-\$).did.	US-PGPUB; USPAT	OR	ON	2006/01/11 10:24

S14 0	3	S139 and ((stop halt pause end finish\$3) with (command instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 10:40
S14 1	0	"20030018849".pn. and "5687347".pn. and ((command instruction) discontinue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 10:41
S14 2	6	("20030018849".pn. "5687347".pn.) and ((command instruction) discontinue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 10:43
S14 3	6	("20030018849".pn. "5687347".pn.) and ((command instruction) discontinue interrupt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 10:44
S14 4	0	("20030018849".pn. "5687347".pn.) and (discontinue interrupt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 10:44
S14 5	1	("20030018849".pn. "5687347".pn.) and (discontinue\$3 interrupt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 10:56
S14 7	5	("20030018849".pn. "5687347".pn.) and (transmit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 14:31
S14 8	4	("20030018849".pn. "5687347".pn.) and (request\$3 with transmit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 11:37

S14 9	1	"20030037202".pn. and (interrupt\$3 stop halt pause)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 11:12
S15 0	0	("20030018849".pn. "5687347".pn.) and (history with (id identificatio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 11:37
S15 1	0	("20030018849".pn. "5687347".pn.) and (history with (id identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 12:02
S15 2	1	("20030018849".pn. "5687347".pn.) and (schedul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 12:03
S15 3	5	("20030018849".pn. "5687347".pn. "6092149") and (schedul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 12:03
S15 4	1	("20030018849".pn. "5687347".pn. "6092149".pn.) and (schedul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 12:07
S15 5	8	S116 and schedul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 14:31
S15 6	6	("20030018849".pn. "5687347".pn. "6092149".pn.) and (group\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 12:23

S15 7	3	("20030018849".pn. "5687347".pn. "6092149".pn.) and (second with command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 12:24
S15 8	3	("20030018849".pn. "5687347".pn. "6092149".pn.) and ((multiple many different more) with command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 12:41
S15 9	5	("20030018849".pn. "5687347".pn. "6092149".pn.) and (time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 12:55
S16 0	1	("20030018849".pn. "5687347".pn. "6092149".pn.) and (schedul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 12:55
S16 1	0	("20030018849".pn. "5687347".pn.) and (abort\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:33
S16 2	4	("20030018849".pn. "5687347".pn.) and (time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:25
S16 3	13	(US-20030149837-\$ or US-20030018849-\$).did. or (US-5257370-\$ or US-6910106-\$ or US-6000007-\$ or US-6311260-\$ or US-6971092-\$ or US-5490113-\$ or US-6052756-\$ or US-5377336-\$ or US-5848269-\$ or US-6877069-\$ or US-5642505-\$).did.	US-PGPUB; USPAT	OR	ON	2006/01/11 14:38
S16 4	8	S163 and ((predetermin\$3 predict\$3 pre-read\$3 pre-load\$3 preload\$3 preread\$3 readout) with time)	US-PGPUB; USPAT	OR	ON	2006/01/11 14:58
S16 5	1	"5257370".pn. and time	US-PGPUB; USPAT	OR	ON	2006/01/11 14:42
S16 6	37	("4489378" "4533995" "4536836" "4882642").PN. OR ("5257370").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/11 14:54

S16 7	6	S166 and history	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/11 15:09
S16 8	0	S163 and ((predetermin\$3 predict\$3 pre-read\$3 pre-load\$3 preload\$3 preread\$3 readout) with time) and (history with (id identification))	US-PGPUB; USPAT	OR	ON	2006/01/11 14:59
S16 9	7	S163 and ((predetermin\$3 predict\$3 pre-read\$3 pre-load\$3 preload\$3 preread\$3 readout) with time) and (history)	US-PGPUB; USPAT	OR	ON	2006/01/11 15:09
S17 0	1	S163 and cancel\$3	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/11 15:10
S17 1	1	S163 and (cancel\$3 and time)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/11 15:10
S17 2	1	("20030018849".pn. "5687347".pn.) and (avoid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:16
S17 3	53757	(predetermin\$3 schedul\$3) with time with (stop\$4 cancel\$4 halt\$3 paus\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:25
S17 4	12234	711/3-4,100-101,105,111-114,118, 130,137,147,154,204,213.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:17
S17 5	92	S173 and S174	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:18
S17 6	6	S175 and (prefetch\$3 pre-fetch\$3 preread\$3 pre-read\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:22
S17 8	6	(US-20050114608-\$).did. or (US-6317811-\$ or US-6332196-\$ or US-6339817-\$ or US-6941545-\$).did. or (US-3343133-\$).did.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/11 15:23

S17 9	6	S173 and S178	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:23
S18 0	45	S174 and ((predetermin\$3 schedul\$3) same time same (stop\$4 cancel\$4 halt\$3 paus\$3)) and (prefetch\$3 pre-fetch\$3 preread\$3 pre-read\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:26
S18 1	45	(US-20010039605-\$ or US-20020124135-\$ or US-20030196040-\$ or US-20050114608-\$).did. or (US-4368513-\$ or US-4788641-\$ or US-5392408-\$ or US-5557772-\$ or US-5619446-\$ or US-5668969-\$ or US-5890211-\$ or US-5890212-\$ or US-5890213-\$ or US-5903906-\$ or US-5915260-\$ or US-5920887-\$ or US-5937426-\$ or US-5966726-\$ or US-5970508-\$ or US-5983324-\$ or US-6021480-\$ or US-6073215-\$ or US-6092149-\$ or US-6119203-\$ or US-6138221-\$ or US-6178483-\$ or US-6189072-\$ or US-6202130-\$ or US-6243788-\$ or US-6292875-\$).did. or (US-6317811-\$ or US-6332196-\$ or US-6339817-\$ or US-6374314-\$ or US-6408357-\$ or US-6505287-\$ or US-6560674-\$ or US-6671774-\$ or US-6766413-\$ or US-6769055-\$ or US-6785793-\$ or US-6792500-\$ or US-6912637-\$ or US-6941545-\$).did. or (US-3343133-\$).did.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/11 15:26
S18 2	113	"I45" and ((predetermin\$3 schedul\$3) same time same (stop\$4 cancel\$4 halt\$3 paus\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:28
S18 3	1	"I45" and ((predetermin\$3 schedul\$3) same time same (stop\$4 cancel\$4 halt\$3 paus\$3)) and S174	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:28

S18 4	2	("20030018849".pn. "5687347".pn.) and (command with second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:34
S18 5	1	("20030018849".pn.) and (history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:48
S18 6	1	("20030018849".pn.) and (history with table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:19
S18 7	2	"5257370".pn. and (time with access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:19
S18 8	2	"5257370".pn. and ((time with access) same predetermined)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:19
S18 9	2	"5257370".pn. and ((time) same predetermined)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:20
S19 0	2	"5257370".pn. and (time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:20
S19 1	2	("20030018849".pn. "5687347".pn.) and (block\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:25